

FMC FoodTech

**Fresh'n
SQUEEZE**

Citrus Juicer **FMC** FoodTech



See it, smell it, taste it, experience it. Really fresh, really good, really sweet and really profitable.

Why sell freshly squeezed citrus juices made with the Fresh'n Squeeze® Citrus Juicer?

Whole Fruit Extraction Principle

FMC FoodTech technology provides you with a compact juicer that will not only extract juice using the patented “whole fruit extraction principle”, but will also “pump” the juice into the free-standing chilled juice dispenser. The process is a real attention getter for your customers and the Citrus Juicer shows the whole juicing technique. Seeing the juice made fresh is a big part of the experience, but the most important is the taste.

Sweetest Juice

Now recognized around the world as the Point-of-Sale Juice Extractor that produces the sweetest juice in the lowest level of citrus peel oil within the juice at yields that were never before available.


Image Builder

The ultimate foodservice image builder. Freshly squeezed orange juice and lemonade made in view of your customers fresh everyday perfect for hotels, restaurants, coffee shops, convenience stores and juice bars.

So, if your plans are to add or expand by offering a Fresh and Natural product like Fresh Squeezed Orange Juice and Fresh Squeezed Lemonade, let your consumers experience juices made with the Fresh'n Squeeze Citrus Juicer.

Fresh'n Squeeze® Citrus Juicer

The orange peel is stripped away from the fruit by the upper and lower cups as they close together.



“Whole Fruit Extraction Principle”

Instantaneously separating the peel from the fruit produces sweeter juice with higher juice yields

Fresh'n Squeeze® Citrus Juicer

Technical Specifications

(metric shown in brackets)


Throughput	10 or 13 fruit per minute
Fruit Hopper Capacity.....	15-20 Fruit
Approximate Juice Production.....	1500-1700 ounces/46 quarts (43 liters) per hour
Juicer Dimensions	Height 31-1/2" (80 cm)...Width 18" (46 cm)...Depth 22-3/16" (56 cm)
Shipping Dimensions.....	Height 41" (104 cm)...Width 30" (76 cm)...Depth 36" (91 cm)
Electrical Requirements.....	100/110/115 volts...50/60 Hz...20 amp service...single phase
Electrical Requirements (Export Models).....	200/220/230 volts...50/60 Hz...16 amp service...single phase
Safety Features	Completely enclosed, safety interlock switches
Finish.....	Stainless Steel with clear Lexan juicing window
Weight.....	200 lbs. (90 kg)...Shipping Wt. 235 lbs. (106 kg)
Waste Container Holds Peel From.....	30-40 Fruit

Standard Citrus Juicing Components

Average Fruit Size	2-1/2" to 3-1/4"
Typical Fruit Count	Per 40 lb. (18 kg) Carton...80-138
Versatility.....	Oranges, Lemons, Limes, Tangerines

Optional Accessories

- Strainer Tubes to Vary Pulp Levels
- Chiller/Dispenser Attachments
- Mobile Cart with Dispenser Shelf
- Fruit Hopper, 20 lbs. (9 kg) Capacity



Note: Add 4" to overall height for Citrus Juicer with legs.



**FMC FOODTECH
CITRUS SYSTEMS**

400 Fairway Avenue
Lakeland, FL 33801
USA

T: +1 863 683 5411
F: +1 863 680 3672

**FMC TECHNOLOGIES
DO BRAZIL LTDA**

Av Eng Camilo
Dinucci 4605
14808-900 Araraquara
Sao Paulo Brazil

T: +55 16 3301 2000
F: +55 16 3332 0565

**FMC TECHNOLOGIES
HONG KONG LTD**

Rm 3002-3005
Haitong Security Bldg
No. 689 Guangdong Road
Shanghai 20001 China
T: +86 21 6341 1616

**FMC TECHNOLOGIES
DE MEXICO, SA DE CV**

Carr Mty Saltillo Km 7
Bodega 4
Puerta Las Mitras
Santa Catarina, NL
Mexico 66350

T: +52 818 123 70 55
F: +52 818 123 70 54

**FMC TECHNOLOGIES
AUSTRALIA LTD.**

Cnr Marple Ave & Biloela St
Villawood New South Wales
2163 Australia

T: +61 2 9723 2000
F: +61 2 9723 2085

FMC FOODTECH, S.L.

C/Julian Camarillo
26-4 Local 2
28037 Madrid Spain

T: +34 91 304 0045
F: +34 91 237 5003