



Antunes Foodservice Equipment
DIVISION OF A.J. ANTUNES & CO. - ISO 9001 CERTIFIED

A BRAND OF A.J. ANTUNES & CO.
roundup
ANTUNES FOODSERVICE EQUIPMENT®

Hot Dog Equipment



Hot Dog Cooking
and Bun Warming
Equipment



A.J. Antunes & Co.
ISO 9001 CERTIFIED



Hot Dog Grills



HDC-50A - Mfg. #9300350

- Heated dual thermostatically controlled Hot Dog Corral.
- **Capacity**
500 refrigerated 10-to-a-pound 5 in. (127 mm) hot dogs per hour. Holds up to 50 four-to-a-pound 5 in. (127 mm) hot dogs at one time.
- **Electrical**
120 VAC, 1500 watts, 12.5 amps, 60 Hz
6 foot (1.83 meters) grounded power cord supplied. NEMA #5-15P
*Unit also available in 230 VAC, 1750 watts, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7
Mfg. # 9300352 - 230V



HDC-35A - Mfg. #9300340

- Heated dual thermostatically controlled Hot Dog Corral.
- **Capacity**
350 refrigerated 10-to-a-pound 5 in. (127 mm) hot dogs per hour. Holds up to 35 four-to-a-pound 5 in. (127 mm) hot dogs at one time.
- **Electrical**
120 VAC, 1500 watts, 12.5 amps, 60Hz
6 foot grounded power cord supplied. NEMA #5-15P
*Unit also available in 230 VAC, 1750 watts, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7
Mfg. # 9300342 - 230V



HDC-30A - Mfg. #9300330

- Heated dual thermostatically controlled Hot Dog Corral.
- **Capacity**
300 refrigerated 10-to-a-pound 5 in. (127 mm) hot dogs per hour. Holds up to 30 four-to-a-pound 5 in. (127 mm) hot dogs at one time.
- **Electrical**
120 VAC, 1500 watts, 12.5 amps, 60 Hz.
6 foot (1.83 meters) grounded power cord supplied. NEMA #5-15P
*Unit also available in 230 VAC, 1500 watts, 50/60 Hz.
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7
Mfg. # 9300332 - 230V



HDC-21A - Mfg. #9300320

- Heated dual thermostatically controlled Hot Dog Corral.
- **Capacity**
210 refrigerated 10-to-a-pound 5 in. (127 mm) hot dogs per hour. Holds up to 21 four-to-a-pound 5 in. (127 mm) hot dogs at one time.
- **Electrical**
120 VAC, 1000 watts, 8.3 amps, 60 Hz
6 foot (1.83 meters) grounded power cord supplied. NEMA #5-15P
*Unit also available in 230 VAC, 1200 watts, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7
Mfg. # 9300322 - 230V



HDC-20 - Mfg. #9300300

- Heated thermostatically controlled Hot Dog Corral.
- **Capacity**
Holds up to 20 four-to-a-pound 7 in. (178 mm) hot dogs at one time, 200 refrigerated 10-to-a-pound 7 in. (178 mm) hot dogs per hour.
- **Electrical**
120 VAC, 1000 watts, 8.3 amps, 60 Hz
6 foot grounded power cord supplied. NEMA #5-15P
HDC -20RC - Mfg. # 9300306 - Thermostat located in back.
*Unit also available in 230 VAC, 1200 watts, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7



HDH-3 - Mfg. # 9300100

- Hot Dog Steamer with separate compartments for hot dogs and buns.
- **Capacity**
Up to 33, 7 in. (178 mm) hot dogs in the hot dog rack. Up to 20 standard size hot dog buns in the bun basket.
- **Water Capacity**
7 quarts (6.6 liters) in water pan.
- **Electrical**
120 VAC, 1000 watts, 8.3 amps, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. NEMA #5-15P
Mfg. # 9300102 - 230V
*Unit also available in 230 VAC, 1200 watts, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7
Mfg. #9300102 - 230V Mfg. #HDH-3DR - Two compartments for hot dogs.

Sausage Corrals



SC-40 - Mfg. #9300220 (250F)(121C)

- A large solid grill surface ideal for locations that need large quantities of products in a minimum amount of time, (stadium and auditorium).
- **Capacity**
50-5 in. (127 mm) 40-7 in. (178 mm) or 30-10 in. (254 mm) sausages.
- **Electrical**
208 VAC, 2745 watts, 13.2 amps, 50/60 Hz.
230 VAC, 3400 watts, 14.8 amps, 50/60 Hz.
6 foot (1.83 meters) grounded power cord supplied.
Mfg. # 9300222 (200C) - 230V



SC-20 - Mfg. #9300200 (250F)(121C)

- A split grill design that allows fast cooking on one surface combined with a lower holding temperature on the other. Sausage oils and juices to be collected in a bottom tray.
- **Capacity**
40-5 in. (127 mm) 20-7 in. (178 mm) or 20-10 in. (254 mm) sausages.
- **Electrical**
208 VAC, 2745 watts, 13.2 amps, 50/60 Hz.
Unit also available in 400F/204C Mfg. #9300204
- **SC-25 9300230: 1/2 Drive**
*Unit also available in 230 VAC, 3400 watts, 14.8 amps, single phase, 50/60 Hz.
6 foot (1.83 meters) grounded power cord supplied.
Mfg. # 9300202 (200C) - 230V

Hot Dog Grill Accessories

Food Shields




SGH-35

Mfg. #9390100

Clear acrylic protective food shield. Designed to be used with HDC-35A and HDC-50A.

May be required by local health department.



SGH-21

Mfg. #9390104

Clear acrylic protective food shield. Designed to be used with HDC-21A and HDC-30A.

May be required by local health department.



SGH-20

Mfg. #9390102

Clear acrylic protective food shield. Designed to be used with HDC-20.

May be required by local health department.

*SG-50 9390106 - If ordered for use with older HDC-50 - side panel kit is required for installation.

Warmer Drawers



WD-35A

Mfg. #9400120

- Heated, thermostatically controlled warming drawer with water tray for moisture. Designed to be used separately, stacked, or with HDC-35A or HDC-50A.
- **Capacity**
Two 4 in. (100 mm) deep two thirds size steam table pan. Holds 50-60 standard hot dog buns.
- **Electrical**
120 VAC, 1400 watts, 11.6 amps, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. NEMA #5-15P 230 volts, 1400-1666 watts, 50/60 Hz
*Unit also available in: 230 volts, 1400-1666 watts, 50/60 Hz 6 foot (1.83 meters) grounded power cord supplied. CEE 7/7



WD-21A

Mfg. #9400110

- Heated, thermostatically controlled warming drawer with water tray for moisture. Designed to be used separately, stacked, or with HDC-21A or HDC-30A.
- **Capacity**
One 4 in. (100 mm) deep full size steam table pan. Holds up to 40-50 standard hot dog buns.
- **Electrical**
120 VAC, 1000 watts, 8.3 amps, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. NEMA #5-15P
*Unit also available in: 230 VAC, 1000-1190 watts, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7



WD-20

Mfg. #9400100

- Heated, thermostatically controlled warming drawer with water tray for moisture. Designed to be used separately, stacked, or with HDC-20.
- **Capacity**
Holds up to 40 standard hot dog buns.
- **Electrical**
120 VAC, 500 watts, 4.1 amps, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. NEMA #5-15P
*Unit also available in: 230 volts, 458-545 watts, 50/60 Hz
6 foot (1.83 meters) grounded power cord supplied. CEE 7/7



180 Kehoe Boulevard Carol Stream, Illinois 60188 • USA Phone: (630) 784-1000 • (800) 253-2991 • Fax: (630) 784-1650

www.ajantunes.com